Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S37 6	671	726/2.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/11 10:52
S37 7	712	726/3.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/11 10:52
S37 8	356	726/14.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/11 10:52
S37 9	1862	713/168.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/11 10:52
S38 0	1288	713/189.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/11 10:52
S38 1	670	713/150.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/11 10:52
S38 2	455	713/151.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/11 10:52
S38 3	198	713/152.ccls.	US-PGPUB; USPAT	OR	ON	2007/07/11 10:53
S38 4	2	tabular adj3 data adj4 stream same handshake	US-PGPUB; USPAT	OR	ON	2007/07/11 10:54
S38 5	6	tabular adj3 data adj4 stream and SSL	US-PGPUB; USPAT	OR	ON	2007/07/11 10:54
S38 6	307	handshake adj3 protocol and SSL	US-PGPUB; USPAT	OR	ON	2007/07/11 10:56
S38 7	3	tabular adj3 data adj4 stream same handshake	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:01
S38 8	314	handshake adj3 protocol and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 10:58
S38 9	168	handshake adj3 protocol same SSL	US-PGPUB; USPAT	OR	ON	2007/07/11 10:56
S39 0	31	handshake adj3 protocol and JDBC	US-PGPUB; USPAT	OR	ON	2007/07/11 10:56
S39 1	1	handshake adj3 protocol and JDBC and JSSE	US-PGPUB; USPAT	OR	ON	2007/07/11 10:57
S39 2	1	handshake adj3 protocol and JDBC and JSSE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 10:57

		LASI Searc	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•		
S39 3	3	tds near4 handshake adj3 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 10:58
S39 4	3	tds same handshake adj3 protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 10:58
S39 5	306	handshake adj3 protocol and(SSL or secure adj3 socket adj4 layer) and (encipher\$4 or cipher\$4 or encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 10:59
S39 6	2975	JDBC or (java adj3 database adj4 connectivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:00
S39 7		S395 and S396	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:00
S39 8	19	JSSE or (java adj3 secure adj4 socket adj4 extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:00
S39 9	7	S396 and S376	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:01
S40 0	8	S396 and S377	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:01
S40 1	2	S396 and S378	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:01
S40 2	6	S396 and S379	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:01

S40 3	1	S396 and S380	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:02
S40 4	2	S396 and S381	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:02
S40 5	5	S396 and S382	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:02
S40 6	0	S396 and S383	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 11:44

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S40 9	1	(tabular and data and stream and handshake and protocol and java and client and (encrypt\$4 or cipher\$4 or encipher\$4) and initiating and standard).CLM.	US-PGPUB; USPAT	OR	ON	2007/07/11 15:35

Web Images Video News Maps Gmail more v

Sign in

Google

tabular data stream handshake protocol

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 20,800 for tabular data stream handshake protocol. (0.14 seconds)

Enhanced tabular data stream protocol - Patent 20050182800

A computing system comprising: a tabular data stream (TDS) protocol that ... and, initiating handshake via the TDS protocol common to the server and the ... www.freepatentsonline.com/20050182800.html - 166k - Cached - Similar pages

<u>Translation of secure communications for handshake protocols ...</u> ... determining whether a **Tabular Data Stream** (TDS) handshake protocol is The basic structure of **Tabular Data Stream** (TDS) packets, which are used in ... www.freepatentsonline.com/20050149718.html - 82k - <u>Cached</u> - <u>Similar pages</u>

SNIA - Storage Networking Industry Association: Dictionary T Using the security parameters created by the TLS Handshake Protocol, it takes messages to be transmitted, fragments the data into manageable blocks, ... www.snia.org/education/dictionary/t/ - 34k - Cached - Similar pages

Network Instruments® | Observer's Protocol Decodes
Oracle - TDS - Oracle Tabular Data Stream ... PPP - CHAP - Challenge Handshake
Authentication Protocol ... SQL - SQL/TDS - SQL Tabular Data Stream ...
www.networkinstruments.com/products/decode_listing.html - 63k Cached - Similar pages

<u>Cryptographic Services and FIPS Compliance in Windows Mobile 5.0 ...</u>
Microsoft Challenge **Handshake** Authentication **Protocol** (MSCHAP) is an encrypted ... SQL **Tabular Data Stream** (TDS) **protocol** that is used with the Windows ... www.microsoft.com/.../mobile/maintain/SecModel/6ab28686-ecc1-4641-81bd-

516bffd07ea0.mspx - 13k - Cached - Similar pages

WildPackets - Decodes

SNTP, Simple Network Time **Protocol** (RFC 1769). TCP, Transmission Control **Protocol** (RFC 761). TDS, **Tabular Data Stream** (Sybase and MS SQL) ... www.wildpackets.com/support/other_products/legacy/epm_decodes - 49k - Cached - Similar pages

WildPackets - Decodes

TBRPF, Wireless Mesh Networking Protocol. TCP, Transmission Control Protocol (RFC 761). TDS, Tabular Data Stream (Sybase and MS SQL) ... www.wildpackets.com/support/product_support/airopeek/decodes - 61k - Cached - Similar pages
[More results from www.wildpackets.com]

Packetyzer supports all protocols and media which are supported by ...
... Protocol PPP Challenge Handshake Authentication Protocol PPP
Compressed ... Channel D (LAPD) TPKT - ISO on TCP - RFC1006 Tabular Data
Stream Tango ...
networkchemistry.com/products/packetyzer_protocols.txt - 28k Cached - Similar pages

Protocol Analyzer: Anritsu: Protocol Support for MD1230A/MD1231A ...

1, TO_TDS, Tabular Data Stream. TCP/IP v4. 1, ATMP, Ascend Tunnel Management Protocol. 2, AUTH, Internet Authentication Protocol ...

www.anritsu.co.jp/e/products/measurement/md1230a/md1230_protocollist_e.asp - 72k - Cached - Similar pages

O'Reilly - Safari Books Online - 1932266828 - Ethereal Packet Sniffing chap PPP Challenge Handshake Authentication Protocol. chdlc Cisco HDLC tcp Transmission Control Protocol. tds Tabular Data Stream. telnet Telnet ... safari.oreilly.com/1932266828/EPS-APP-1 - Similar pages

1 2 3 4 5 6 7 8 9 10 **Next**

Try Google Desktop: search your computer as easily as you search the web.

tabular data stream handshake prote Search



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web Images Video News Maps Gmail more .

Sign in

Google

tabular data stream handshake protocol

Search

Advanced Search Preferences

Web

Results 11 - 20 of about 20,800 for tabular data stream handshake protocol. (0.10 seconds)

Thick Client Application Security - Defenses : Palisade

During this handshake, both the client and the server agree upon a specific ... SQL Server uses Tabular Data Stream (TDS) packets for exchanging commands ... palisade.plynt.com/issues/2006May/thick-client-defenses/ - 15k - Cached - Similar pages

[PDF] Protocol Decodes

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
PPP Challenge **Handshake** Authentication **Protocol**. PPP Comp. PPP Compression Control **Protocol**.... Transmission Control **Protocol**. TDS. **Tabular Data Stream** ... www.spirentcom.com/documents/1329.pdf - <u>Similar pages</u>

[PDF] PRODUCT INTRODUCTION

File Format: PDF/Adobe Acrobat

AppleTalk Data Stream Protocol. 2. AEP. AppleTalk Echo Protocol PPP Challenge Handshake Authentication. Protocol (CHAP). Anritsu Corp. ... www.anritsu.co.jp/Products/pdf_e/MD1230A31A_EIA1100.pdf - Similar pages

Page 7 - Authenticating Logins

Notice that the **protocol** used is TDS, which stands for **Tabular Data Stream**. TDS is the **protocol** used by Open **Data** Services (ODS), which is a set of ... www.aspfree.com/c/a/MS-SQL-Server/Authenticating-Logins/6/ - 95k - Cached - Similar pages

JDSU Protocol Decodes for DominoNAS v3.0 - United States

CHAP, 2, CHAP - PPP Challenge **Handshake** Authentication **Protocol** TDS (Sybase), 5, **Tabular Data Stream Protocol**. Oracle. Oracle Server, 7, Oracle Server ...

www.jdsu.com/test_and_measurement/

products/descriptions/Domino/domino_decodes.html - 143k - Cached - Similar pages

<u>Caloga - Téléchargement - Windows - Utilitaires - Réseau - Packetyser</u>
PPP Challenge **Handshake** Authentication **Protocol** PPP Compressed Datagram ... **Tabular Data Stream** TACACS+ TACACS Tazmen Sniffer **Protocol** ...
telecharger.caloga.com/viewsoft.php3?key=00410070217 - 37k <u>Cached - Similar pages</u>

<u>EP939546 St european software patent - Filtering of digital data ...</u>
The broadcast digital **data stream** may arrive at the set-top-box via a satellite there will be a request/grant **handshake protocol** between the section ... gauss.ffii.org/PatentView/EP939546 - 85k - Cached - Similar pages

<u>EP1271932 St european software patent - A receiver - Gauss</u>
A receiver for receiving a data stream comprises a filtering arrangement for will be a request/grant handshake protocol between the section filter 30 ... gauss.ffii.org/PatentView/EP1271932 - 86k - Cached - Similar pages

SANS Internet Storm Center; Cooperative Network Security Community we saw the data appeared to include a Tabular Data Stream protocol packet. ... We see the 3-way handshake and the next packet is the capture data ... isc.sans.org/diary.html?storyid=1501 - 37k - Cached - Similar pages

[PDF] Evaluation of a microcomputer-based clinical laboratory data ...
File Format: PDF/Adobe Acrobat
data can be retrieved graphically or in tabular form after. being processed with
another 840 ing preparation of the handshake protocol, is required; ...

www.springerlink.com/index/MJ43185434851494.pdf - Similar pages

<u>Previous 1 2 3 4 5 6 7 8 9 1011</u> **Next**

tabular data stream handshake prote Search



Search within results | Language Tools | Search Tips

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web Images Video News Maps Gmail more -

Sign in

<u>Google</u>

tabular data stream handshake protocol

Search

Advanced Search Preferences

Web

Results 21 - 30 of about 20,800 for tabular data stream handshake protocol. (0.16 seconds)

The Internet Report

The IP architecture assumes that each **Data** Link subnetwork is labeled with a single RFC 1994, PPP Challenge **Handshake** Authentication **Protocol** (CHAP) ...

ietfreport.isoc.org/rfc1900-1999.html - 160k - Cached - Similar pages

[PDF] A survey of light-weight transport protocols for high-speed ...

File Format: PDF/Adobe Acrobat

Control bytes can be inserted into the data stream at any point to Furthermore, the handshake protocol can. be achieved out of band, whereas implicit ... ieeexplore.ieee.org/iel1/26/2236/00061485.pdf?arnumber=61485 - Similar pages

School of Informatics at Edinburgh Postgraduate Prospectus ...

These techniques can take advantage of the fact that self-timed circuits halt when a handshake protocol is violated due to a fault. ...

www.inf.ed.ac.uk/postgraduate/phdprojects.html - 117k - Cached - Similar pages

[PDF] Multiple-Channel Security Architecture and Its Implementation over SSL

File Format: PDF/Adobe Acrobat - View as HTML

The merged data stream that the proxy sends to the client is indistinguishable from a The initial handshake protocol sets up the first channel, ... www.hindawi.com/GetPDF.aspx?doi=10.1155/WCN/2006/85495 - Similar pages

RFC 916 (rfc916) - Reliable Asynchronous Transfer Protocol (RATP)

As can be seen from this partial description the MODEM **protocol** is unidirectional, **data** can only pass from the sender to the receiver in a **stream**. ... www.faqs.org/rfcs/rfc916.html - 110k - <u>Cached</u> - <u>Similar pages</u>

SecurityLex.org - Security Glossary

This means the three-way handshake must be completed before any data can be sent across the connection. TDS [3]: TDS stands for Tabular Data Stream. ... www.securitylex.org/glossary?searchword=T - 335k - Cached - Similar pages

[PDF] An Analysis of Throughput Characteristics of Universal Serial Bus

File Format: PDF/Adobe Acrobat - View as HTML

speed transaction **protocol** overhead gives 162 bytes. per frame. • an 2B+D ISDN isochronous telephony device (only. considering the main **data streams** and ... www.usb.org/developers/whitepapers/bwpaper2.pdf - <u>Similar pages</u>

SANS Institute - Intrusion Detection FAQ: An analysis of SQL ..

The first byte in the datagram is the **Tabular Data Stream** (TDS) packet type 0x10 ... handshake and MS SQL Server login before the xp_cmdshell query is sent. ... www.sans.org/resources/idfaq/spider.php - 44k - <u>Cached</u> - <u>Similar pages</u>

Ethereal: Display Filter Reference

On each protocol page you will find a list of supported display filters for that tds: Tabular Data Stream tei_management: TEI Management Procedure, ... www.ethereal.com/docs/dfref/ - 89k - <u>Cached</u> - <u>Similar pages</u>

Integrated circuits, systems, apparatus, packets and processes ...

Thus, source 103 sends a first data stream to forwarder A at node 131, Once the handshake protocol is accomplished Host 811 and the particular ... www.patentstorm.us/patents/6930983-description.html - 152k - Cached - Similar pages

<u>Previous 1 2 3 4 5 6 7 8 9 101112</u> <u>Next</u>

tabular data stream handshake prote Search

Search within results | Language Tools | Search Tips

©2007 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

Web Images Video News Maps Gmail more ⋅

Sign in

Google

tabular data stream handshake protocol

Search Adv

Advanced Search Preferences

Web

Results 31 - 40 of about 20,800 for tabular data stream handshake protocol. (0.10 seconds)

<u>Processes, articles, and packets for network path diversity in ...</u>

Thus, source 103 sends a first **data stream** to forwarder A at node 133, Once the **handshake protocol** is accomplished Host 811 and the particular ... www.patentstorm.us/patents/6496477-description.html - 157k - Cached - Similar pages

J —

In this Subsection we shall analyse mobile SQL quering for tabular data and A server hand-shake protocol should be implemented so that the primary ... www.ici.ro/ici//revista/sic1997_2/vesa1.html - 69k - <u>Cached</u> - <u>Similar pages</u>

[PDF] Agilent Technologies

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Challenge Handshake Authentication. PPP. EAP. Extensible Authentication
Protocol ... Tabular Data Stream. Sybase. ARP. Address Resolution Protocol ...
www.home.agilent.com/agilent/redirector.jspx?action=ref&
cc=US&lc=eng&ckey=76599&cname=AGI... - <u>Similar pages</u>

BABEL: A Glossary of Computer Related Abbreviations and Acronyms ... Digital Subscriber Line ADSP Apple Datastream Protocol ADSR Attack, Protocol/Internet Protocol TD Transmit Data TDC Tabular Data Control TDD ... gd.tuwien.ac.at/study/babel-99b.htm - 198k - Cached - Similar pages

[PDF] COPYRIGHTED MATERIAL

File Format: PDF/Adobe Acrobat - View as HTML

Handshake Protocol, 493. hash algorithms, 474–495. digital signature basics, 488–491 TDS (Tabular Data Stream), 358. template element, 424. templates ... media.wiley.com/product_data/excerpt/68/07645753/0764575368-2.pdf - Similar pages

[PDF] SYMBOLS A

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> **Handshake protocol**, 893. handy programming tips, 436 **Tabular Data Stream**(TDS), 361. TargetSite property, 283. Task List, 54–55. Task List window, 50 ...
media.wiley.com/product_ancillary/23/07645599/DOWNLOAD/559923%20index.pdf
- <u>Similar pages</u>

Ethereal: Frequently Asked Questions

1.6 Are there any plans to support {your favorite protocol}? Channel D (LAPD) TPKT - ISO on TCP - RFC1006 **Tabular Data Stream** Tango Dissector Using ... www.ethereal.com/faq.html - 119k - <u>Cached</u> - <u>Similar pages</u>

[PDF] GUIDE TO DATACOMMUNICATIONS PROTOCOL DECODES v.3

File Format: PDF/Adobe Acrobat - View as HTML

(Sybase). Tabular. Datastream. Protocol. To. IPX. UDP. User. Datagram.

Protocol. TNS. (Oracle). Transparent. Network. Substrate ...

www2.informatik.hu-berlin.de/~sommer/lehre/rk/ws05/pdf/protokolle_poster.pdf - Similar pages

Forkortelser


D/A Digital to Analog DAA **Data** Access Arrangement + Decimal Adjust for **Protocol**/Internet **Protocol** TD Transmit **Data** TDC **Tabular Data** Control TDD ... home.c2i.net/thenssru/forkortelser.htm - 183k - <u>Cached</u> - <u>Similar pages</u>

BABEL: A Glossary of Computer Related Abbreviations and Acronyms

BA Bell Atlantic (company) BACP Bandwidth Allocation Control **Protocol** BAK

TDA To Do Archive (file name extension) [Palm] TDC **Tabular Data** Control TDD ...

www.geocities.com/ikind_babel/babel/babel.html - 238k - <u>Cached</u> - <u>Similar pages</u>





March 2002 ACM SIGMETRICS Performance Evaluation Review, Volume 29 Issue 4

Publisher: ACM Press

Full text available: pdf(1,55 MB)

Additional Information: full citation, abstract, references, citings

This paper discusses the design and evaluation of CATNIP, a Context-Aware Transport/Network Internet Protocol for the Web. This integrated protocol uses application-layer knowledge (i.e., Web document size) to provide explicit context information to the TCP and IP protocols. While this approach violates the traditional layered Internet protocol architecture, it enables informed decision-making, both at network endpoints and at network touters, regarding flow control, congestion control, and pack ...

Keywords: TCP/IP, internet protocols, network emulation, network simulation, web performance

Novel directions in architectural simulation and validation: Interactive presentation: Impact of description language, abstraction layer, and value representation on simulation performance

Wolfgang Ecker, Volkan Esen, Lars Schönberg, Thomas Steininger, Michael Velten, Michael

April 2007 Proceedings of the conference on Design, automation and test in Europe **DATE '07**

Publisher: ACM Press

Full text available: pdf(220.73 KB)

Additional Information: full citation, abstract, references

In recent years other verification features than simulation performance such as robustness and debugging gained increasing impact on simulation language and tool selection. However, fastest model execution speed is still priority number one for many design and verification engineers. This can be seen in the continuously growing interest in virtual prototypes and transaction level modeling (TLM).

As part of the ongoing re-work modeling language strategies and the world wide introduction ...

Aurora: a new model and architecture for data stream management Daniel J. Abadi, Don Carney, Ugur Çetintemel, Mitch Cherniack, Christian Convey, Sangdon Lee, Michael Stonebraker, Nesime Tatbul, Stan Zdonik

August 2003 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 12 Issue 2

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(585.97 KB)

Additional Information: full citation, abstract, citings, index terms

Abstract. This paper describes the basic processing model and architecture of Aurora, a new system to manage data streams for monitoring applications. Monitoring applications differ substantially from conventional business data processing. The fact that a software system must process and react to continual inputs from many sources (e.g., sensors) rather than from human operators requires one to rethink the fundamental architecture of a DBMS for this application area. In this paper, we present Aur ...

Keywords: Continuous queries, Data stream management, Database triggers, Quality-ofservice, Real-time systems

Issues in data stream management



Lukasz Golab, M. Tamer Özsu


June 2003 ACM SIGMOD Record, Volume 32 Issue 2

Publisher: ACM Press

Full text available: pdf(195.61 KB)

Additional Information: full citation, abstract, references, citings

Traditional databases store sets of relatively static records with no pre-defined notion of time, unless timestamp attributes are explicitly added. While this model adequately represents commercial catalogues or repositories of personal information, many current and emerging applications require support for on-line analysis of rapidly changing data streams. Limitations of traditional DBMSs in supporting streaming applications have been recognized, prompting research to augment existing technolog ...



8 XML query processing: Query processing of streamed XML data





Leonidas Fegaras, David Levine, Sujoe Bose, Vamsi Chaluvadi

November 2002 Proceedings of the eleventh international conference on Information and knowledge management CIKM '02

Publisher: ACM Press


Full text available: pdf(246.55 KB)

Additional Information: full citation, abstract, references, citings, index terms

We are addressing the efficient processing of continuous XML streams, in which the server broadcasts XML data to multiple clients concurrently through a multicast data stream, while each client is fully responsible for processing the stream. In our framework, a server may disseminate XML fragments from multiple documents in the same stream, can repeat or replace fragments, and can introduce new fragments or delete invalid ones. A client uses a light-weight database based on our proposed XML alge ...

Keywords: XML, databases, query optimization, query processing

Full papers: Horizontal aggregations for building tabular data sets



June 2004 Proceedings of the 9th ACM SIGMOD workshop on Research issues in data mining and knowledge discovery DMKD '04

Publisher: ACM Press

Full text available: pdf(183,18 KB)

Additional Information: full citation, abstract, references

In a data mining project, a significant portion of time is devoted to building a data set suitable for analysis. In a relational database environment, building such data set usually requires joining tables and aggregating columns with SQL queries. Existing SQL aggregations are limited since they return a single number per aggregated group, producing one row for each computed number. These aggregations help, but a significant effort is still required to build data sets suitable for data mining pu ...

Stable distributions, pseudorandom generators, embeddings, and data stream





computation Piotr Indyk

May 2006 Journal of the ACM (JACM), Volume 53 Issue 3

Publisher: ACM Press

Full text available: pdf(146,78 KB)

Additional Information: full citation, abstract, references, index terms

In this article, we show several results obtained by combining the use of *stable* distributions with pseudorandom generators for bounded space. In particular:---We show that, for any $p \in (0, 2]$, one can maintain (using only $O(\log n/\text{\&epsi};^2)$) words of storage) a sketch C(q) of a point $q \in I^n_p$ under dynamic updates of its coordinates. The sketch has the property that, given C(q) ...

Keywords: data streams, dimensionality reduction, embeddings, norms, sketching

11 Communicating logic: an alternative embedded stream processing paradigm



Norbert Imlig, Ryusuke Konishi, Tsunemichi Shiozawa, Kiyoshi Oguri, Kouichi Nagami, Hideyuki Ito, Minoru Inamori, Hiroshi Nakada

January 2000 Proceedings of the 2000 conference on Asia South Pacific design automation ASP-DAC '00

Publisher: ACM Press

Full text available: pdf(286,93 KB)

Additional Information: full citation, references

12 IP Design and Reuse: Synthesis of pipelined memory access controllers for streamed



data applications on FPGA-based computing engines Joonseok Park, Pedro C. Diniz

September 2001 Proceedings of the 14th international symposium on Systems synthesis ISSS '01

Publisher: ACM Press

Full text available: pdf(193.12 KB)

Additional Information: full citation, abstract, references, citings, index terms

Commercially available behavioral synthesis tools do not adequately support FPGA vendor-specific external memory interfaces making it extremely difficult to exploit

pipelined memory access modes as well as application specific memory operations scheduling critical for high-performance solutions. This lack of support substantially increases the complexity and the burden on designers in the mapping of applications to FPGA-based computing engines. In this paper we address the problem of external me ...

Keywords: FPGA-based configurable computing, hardware interfaces and customizable memory controllers, scheduling of memory accesses

Self adaptation and physical awareness in high-level synthesis: Loop pipelining for high-throughput stream computation using self-timed rings



Gennette Gill, John Hansen, Montek Singh

November 2006 Proceedings of the 2006 IEEE/ACM international conference on Computer-aided design ICCAD '06


Publisher: ACM Press

Full text available: pdf(175.36 K8)

Additional Information: full citation, abstract, references, index terms

We present a technique for increasing the throughput of stream processing architectures by removing the bottlenecks caused by loop structures. We implement loops as self-timed pipelined rings that can operate on multiple data sets concurrently. Our contribution includes a transformation algorithm which takes as input a high-level program and gives as output the structure of an optimized pipeline ring. Our technique handles nested loops and is further enhanced by loop unrolling. Simulat ...

The transport layer: tutorial and survey



December 1999 ACM Computing Surveys (CSUR), Volume 31 Issue 4

Publisher: ACM Press

Full text available: pdf(261.78 KB)

Additional Information: full citation, abstract, references, citings, index terms

Transport layer protocols provide for end-to-end communication between two or more hosts. This paper presents a tutorial on transport layer concepts and terminology, and a survey of transport layer services and protocols. The transport layer protocol TCP is used as a reference point, and compared and contrasted with nineteen other protocols designed over the past two decades. The service and protocol features of twelve of the most important protocols are summarized in both text and tables. < ...

Keywords: TCP/IP networks, congestion control, flow control, transport protocol, transport service

Cryptography and data security

Dorothy Elizabeth Robling Denning

January 1982 Book

Publisher: Addison-Wesley Longman Publishing Co., Inc.

Full text available: pdf(19.47_MB)


Additional Information: full citation, abstract, references, citings, index terms

From the Preface (See Front Matter for full Preface)

Electronic computers have evolved from exiguous experimental enterprises in the 1940s to prolific practical data processing systems in the 1980s. As we have come to rely on these systems to process and store data, we have also come to wonder about their ability to protect valuable data.

Data security is the science and study of methods of protecting data in computer and communication systems from unauthorized disclosure ...

Q focus: semi-structured data: XML <and semi-structured data>



October 2005 Queue, Volume 3 Issue 8

Publisher: ACM Press

Full text available: pdf(222.30 KB) html(32,69 KB)

Additional Information: full citation, abstract, references, index terms

XML, as defined by the World Wide Web Consortium in 1998, is a method of marking up a document or character stream to identify structural or other units within the data. XML

makes several contributions to solving the problem of semi-structured data, the term database theorists use to denote data that exhibits any of the following characteristics: Numerous repeating fields and structures in a naive hierarchical representation of the data, which lead to large numbers of tables in a sec ...

Building MEMS-based storage systems for streaming media



Raju Rangaswami, Zoran Dimitrijević, Edward Chang, Klaus Schauser June 2007 ACM Transactions on Storage (TOS), Volume 3 Issue 2

Publisher: ACM Press

Full text available: pdf(615.22 KB)

Additional Information: full citation, abstract, references, index terms

The performance of streaming media servers has been limited by the dual requirements of high disk throughput (to service more clients simultaneously) and low memory use (to decrease system cost). To achieve high disk throughput, disk drives must be accessed with large IOs to amortize disk access overhead. Large IOs imply an increased requirement of expensive DRAM, and, consequently, greater overall system cost. MEMSbased storage, an emerging storage technology, is predicted to offer a price- \dots

Keywords: I/O scheduling, MEMS-based storage, Storage architecture, multidisk storage, streaming media

XML stream processing using tree-edit distance embeddings



Minos Garofalakis, Amit Kumar

March 2005 ACM Transactions on Database Systems (TODS), Volume 30 Issue 1

Publisher: ACM Press

Full text available: pdf(726.56 KB)

Additional Information: full citation, abstract, references, citings, index terms

We propose the first known solution to the problem of correlating, in small space, continuous streams of XML data through approximate (structure and content) matching, as defined by a general tree-edit distance metric. The key element of our solution is a novel algorithm for obliviously embedding tree-edit distance metrics into an L1 vector space while guaranteeing a (worst-case) upper bound of $O(\log^2 n \log ast; n)$ on the distance distortion betwee ...

Keywords: XML, approximate query processing, data streams, data synopses, metricspace embeddings, tree-edit distance

The 8 requirements of real-time stream processing



Michael Stonebraker, U□ur Çetintemel, Stan Zdonik December 2005 ACM SIGMOD Record, Volume 34 Issue 4

Publisher: ACM Press

Full text available: pdf(397_83 KB)

Additional Information: full citation, abstract, references, citings, index terms

Applications that require real-time processing of high-volume data steams are pushing the limits of traditional data processing infrastructures. These stream-based applications include market feed processing and electronic trading on Wall Street, network and infrastructure monitoring, fraud detection, and command and control in military environments. Furthermore, as the "sea change" caused by cheap micro-sensor technology takes hold, we expect to see everything of material significance on the pl ...

Performance, reliability & scalability: SCTP: an innovative transport layer protocol for



the web

Preethi Natarajan, Janardhan R. Iyengar, Paul D. Amer, Randall Stewart

May 2006 Proceedings of the 15th international conference on World Wide Web WWW '06

Publisher: ACM Press

Full text available: pdf(327,59 KB)

Additional Information: full citation; abstract, references, index terms

We propose using the Stream Control Transmission Protocol (SCTP), a recent IETF transport layer protocol, for reliable web transport. Although TCP has traditionally been used, we argue that SCTP better matches the needs of HTTP-based network applications. This position paper discusses SCTP features that address: (i) head-of-line blocking within a single TCP connection, (ii) vulnerability to network failures, and (iii) vulnerability to denial-of-service SYN attacks. We discuss our experience in m ...

Keywords: SCTP, fault-tolerance, head-of-line blocking, stream control transmission. protocol, transport layer service, web applications, web transport


Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat

QuickTime
Windows Media Player



engines: Query processing in the aqualogic data services platform

Vinayak Borkar, Michael Carey, Dmitry Lychagin, Till Westmann, Daniel Engovatov, Nicola

September 2006 Proceedings of the 32nd international conference on Very large data bases VLDB '06

Publisher: VLDB Endowment

Full text available: pdf(571.23 KB)

Additional Information: full citation, abstract, references, index terms

BEA recently introduced a new middleware product called the Aqua-Logic Data Services Platform (ALDSP). The purpose of ALDSP is to make it easy to design, develop, deploy, and maintain a data services layer in the world of service-oriented architecture (SOA). ALDSP provides a declarative foundation for building SOA applications and services that need to access and compose information from a range of enterprise data sources; this foundation is based on XML, XML Schema, and XQuery. This paper focus \dots

Multiplexing issues in communication system design

C. C. Feldmeier

August 1990 ACM SIGCOMM Computer Communication Review, Proceedings of the ACM symposium on Communications architectures & protocols SIGCOMM '90,

Volume 20 Issue 4 Publisher: ACM Press

Full text available: pdf(1.30 MB)

Additional Information: full citation, abstract, references, citings, index terms

This paper considers some of the multiplexing issues in communication system design by examining overall system issues. In particular, we distinguish physical multiplexing of resources from logical multiplexing of streams. Both physical-resource multiplexing and logical multiplexing determine the service that can be provided by a communication system. We also discuss two issues affected by logical multiplexing - flow control and the relationship between control and data streams of a connect ...

A multiple stream microprocessor prototype system: AMP-1



Edward S. Davidson

May 1980 Proceedings of the 7th annual symposium on Computer Architecture ISCA

Publisher: ACM Press

Full text available: pdf(698.01 KB)

Additional Information: full citation, abstract, references, citings, index terms

A general-purpose multiple-stream processor with shared memory and a single timemultiplexed synchronous bus has been implemented. The AMP-1 system uses eight standard microprocessors and 64K bytes of memory. The design is highly efficient in the use of processor, bus, and memory resources. Preliminary performance measurements agree closely with an analytic memory access conflict model and show extremely low conflict-based performance degradation. Heavy interleaving of the memory and effect ...

Security analysis: Analysis of the 802.11i 4-way handshake



Changhua He, John C. Mitchell

October 2004 Proceedings of the 2004 ACM workshop on Wireless security WiSe '04

Publisher: ACM Press

Full text available: pdf(328,36 KB)

Additional Information: full citation, abstract, references, citings, index terms

802.11i is an IEEE standard designed to provide enhanced MAC security in wireless networks. The authentication process involves three entities: the supplicant (wireless device), the authenticator (access point), and the authentication server (e.g., a backend RADIUS server). A 4-Way Handshake must be executed between the supplicant and the authenticator to derive a fresh pairwise key and/or group key for subsequent data transmissions. We analyze the 4-Way Handshake protocol using a finite-state ve ...

Keywords: 4-way handshake, 802.11i, WLAN, authentication, denial-of-service, key management

Input data reuse in compiling window operations onto reconfigurable hardware



Zhi Guo, Betul Buyukkurt, Walid Najjar June 2004

ACM SIGPLAN Notices, Proceedings of the 2004 ACM SIGPLAN/SIGBED conference on Languages, compilers, and tools for embedded systems LCTES '04, Volume 39 Issue 7

Publisher: ACM Press

Full text available:

Additional Information:

pdf(253,01 KB)

full citation, abstract, references, citings, index terms

Balancing computation with I/O has been considered as a critical factor of the overall performance for embedded systems in general and reconfigurable computing systems in particular. Data I/O often dominates the overall computation performance for window operation, which are frequently used in image processing, image compression, pattern recognition and digital signal processing. This problem is more acute in reconfigurable systems since the compiler must generate the data path and the sequence ...

Keywords: VHDL, compilation, high-level synthesis, reconfigurable computing, reuse analysis

29 <u>Streaming: STARCast: streaming collaboration architecture on heterogeneous</u>

environment everywhere

Takeshi Tsuchiya, Hirokazu Yoshinaga, Keiichi Koyanagi

October 2004 Proceedings of the 2004 ACM workshop on Next-generation residential broadband challenges NRBC '04

Publisher: ACM Press
Full text available: pdf(1.01 MB)

Additional Information: full citation, abstract, references, index terms

Recently, the increasing of network node by appearing the home network and discounting of PC, and the matters for security complicate the computer based network such as the Internet, which conceales it by IP. In this paper, we propose STARCast (Streaming Transit AnywheRe broadCasts) system with which existing networks are overlaid. It provides steaming service without depending on the underlying network environment such as NAT, firewall and IPv6. STARCast adaptively changes their transport pr ...

Keywords: heterogeneous transport networks, overlay streaming, peer-to-peer

30 Session P2: large data sets: Semotus Visum: a flexible remote visualization framework

Eric J. Luke, Charles D. Hansen

October 2002 Proceedings of the conference on Visualization '02 VIS '02

Publisher: IEEE Computer Society
Full text available: pdf(622.60 KB)

Additional Information: full citation, abstract, references, citings, index terms

By offering more detail and precision, large data sets can provide greater insights to researchers than small data sets. However, these data sets require greater computing resources to view and manage. Remote visualization techniques allow the use of computers that cannot be operated locally. The Semotus Visum framework applies a high-performance client-server paradigm to the problem. The framework utilizes both client and server resources via multiple rendering methods. Experimental results sho ...

Keywords: client/server, remote visualization

31 Real-time shading

Marc Olano, Kurt Akeley, John C. Hart, Wolfgang Heidrich, Michael McCool, Jason L. Mitchell, Randi Rost

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: pdf(7.39 MB)

Additional Information: full citation, abstract

Real-time procedural shading was once seen as a distant dream. When the first version of this course was offered four years ago, real-time shading was possible, but only with one-of-a-kind hardware or by combining the effects of tens to hundreds of rendering passes. Today, almost every new computer comes with graphics hardware capable of interactively executing shaders of thousands to tens of thousands of instructions. This course has been redesigned to address today's real-time shading capabili ...

Industrial session: data warehousing and data mining: Bridging the gap between OLAP and SQL

Jens-Peter Dittrich, Donald Kossmann, Alexander Kreutz

August 2005 Proceedings of the 31st international conference on Very large data bases VLDB '05

	Full text available: pdf(409.18 KB) Additional Information: full citation, abstract, references, index terms	
	In the last ten years, database vendors have invested heavily in order to extend their products with new features for decision support. Examples of functionality that has been added are top N [2], ranking [13, 7], spreadsheet computations [19], grouping sets [14], data cube [9], and moving sums [15] in order to name just a few. Unfortunately, many modern OLAP systems do not use that functionality or replicate a great deal of it in addition to other database-related functionality. In fact, the ga	
33	The theory of parsing, translation, and compiling Alfred V. Aho, Jeffrey D. Ullman January 1972 Book	
	Publisher: Prentice-Hall, Inc. Full text available: pdf(98.28 MB) Additional Information: full citation, abstract, references, citings, index terms	
	From volume 1 Preface (See Front Matter for full Preface)	
	This book is intended for a one or two semester course in compiling theory at the senior or graduate level. It is a theoretically oriented treatment of a practical subject. Our motivation for making it so is threefold.	
	(1) In an area as rapidly changing as Computer Science, sound pedagogy demands that courses emphasize ideas, rather than implementation details. It is our hope that the algorithms and concepts presen	
34 ②	Streams to physics processors: ParallAX: an architecture for real-time physics Thomas Y. Yeh, Petros Faloutsos, Sanjay J. Patel, Glenn Reinman June 2007 Proceedings of the 34th annual international symposium on Computer architecture ISCA '07	
	Publisher: ACM Press Full text available: pdf(429,12 KB) Additional Information: full citation, abstract, references, index terms	
	Future interactive entertainment applications will featurethe physical simulation of thousands of interacting objectsusing explosions, breakable objects, and cloth effects. Whilethese applications require a tremendous amount of performanceto satisfy the minimum frame rate of 30 FPS, there is a dramatic amount of parallelism in future physics workloads. How will future physics architectures leverage parallelismto achieve the real-time constraint?.	
	We propose and characterize a set of for	
	Keywords : application specific processor, chip multiprocessor, interactive entertainment, physics based animation, real-time physics, stream processing	
35	Third-party handshake protocol for efficient peer discovery and route optimization in IEEE 802.15.3 WPANs Zhanping Yin, Victor C. M. Leung October 2006 Mobile Networks and Applications, Volume 11 Issue 5	
	Publisher: Kluwer Academic Publishers	
	Full text available: pdf(955.92 KB) Additional Information: full citation, abstract, references, index terms Designed for high data rate wireless personal area networks, the IEEE 802.15.3 medium	
	access control (MAC) protocol fits well with emerging technologies like ultra-wideband. Peer discovery is essential in 802.15.3 piconets in w3:22 hich devices (DEVs) exchange MAC frames in a peer-to-peer manner. If two peer DEVs are unreachable, the standard peer discovery method will fail after unproductive backoff retransmissions, and a costly network layer routing is required. For DEVs uniformly distributed	
	Keywords : 802.15.3, medium access control (MAC), peer discovery, wireless personal area network (WPAN)	
36	Conversion from data-driven to synchronous execution in loop programs Janice E. Cuny, Lawrence Snyder	



October 1987 ACM Transactions on Programming Languages and Systems (TOPLAS),

Volume 9 Issue 4

Publisher: ACM Press

Full text available: pdf(1.38 MB)

Additional Information: full citation, abstract, references, citings, index terms

Conversion algorithms are presented that would enable programmers to write programs in a high-level, data flow language and then run those programs on a synchronous machine. A model of interprocess communication systems is developed in which both data-driven and synchronous execution modes are represented. Balancing equations are used to characterize a subclass of parallel programs, called loop programs, for which conversions are possible. We show that all loop programs having the finite bu ...

37 Track 4: reconfigurable computing (part 2): Dynamic loop pipelining in data-driven



③

<u>architectures</u> João M. P. Cardoso

May 2005 Proceedings of the 2nd conference on Computing frontiers CF '05

Publisher: ACM Press

Full text available: pdf(225.71 KB)

Additional Information: full citation, abstract, references, index terms

Data-driven array architectures seem to be important alternatives for coarse-grained reconfigurable computing platforms. Their use has provided performance improvements over microprocessors and shorter programming cycles than FPGA-based platforms. As with other architectures, in data-driven architectures loop pipelining plays an important role to improve performance. Usually this kind of pipelining can be achieved using the dataflow software pipelining technique or other software pipelining appr ...

Keywords: compilation, data-driven architectures, dataflow, reconfigurable computing, software pipelining

38 Experimental testbeds and data: Performance optimizations for wireless wide-area





networks: comparative study and experimental evaluation
Rajiv Chakravorty, Suman Banerjee, Pablo Rodriguez, Julian Chesterfield, Ian Pratt
September 2004 Proceedings of the 10th annual international conference on Mobile
computing and networking MobiCom '04

Publisher: ACM Press


Full text available: pdf(262.46 KB)

Additional Information: full citation, abstract, references, citings, index terms

We present a comparative performance study of a wide selection of optimization techniques to enhance application performance in the context of wide-area wireless networks (WWANs). Unlike in traditional wired and wireless IP-based networks, applications running over WWAN cellular environments are significantly affected by the vagaries of the cellular wireless medium. Prior research has proposed and analyzed optimizations at individual layers of the protocol stack. In contrast, we introduce the fi ...

Keywords: 3G, CDMA 2000, GPRS, HTTP, TCP, UMTS, cellular, cross-layer interactions, multi-layer performance optimizations, proxy

³⁹ Connecting time-oriented data and information to a coherent interactive visualization



ril 2004 Proceedings of the SIGCHI conference on Human factors in computing systems CHI '04

Publisher: ACM Press

Full text available: pdf(1,35 MB)

Additional Information: full citation, abstract, references, index terms

In modern intensive care units (ICUs), the medical staff has to monitor a huge amount of high-dimensional and time-oriented data, which needs to be visualized user- and task-specifically to ease diagnosis and treatment planning. Available visual representations, like diagrams or charts neglect the implicit information as well as a-priory or associated knowledge about the data and its meaning (for example, 38.5°C (101.3°F) is moderate fever and 41°C (105.8°F) is critical fever ...

Keywords: health care, information visualization, medical application: intensive care units, temporal data modeling and abstraction, user interface design, visualization

40 SCTP versus TCP for MPI

Humaira Kamal, Brad Penoff, Alan Wagner

November 2005 Proceedings of the 2005 ACM/IEEE conference on Supercomputing SC

'05

Publisher: IEEE Computer Society Full text available: pdf(429.38 KB)

Additional Information: full citation, abstract, index terms

SCTP (Stream Control Transmission Protocol) is a recently standardized transport level protocol with several features that better support the communication requirements of parallel applications; these features are not present in traditional TCP (Transmission Control Protocol). These features make SCTP a good candidate as a transport level protocol for MPI (Message Passing Interface). MPI is a message passing middleware that is widely used to parallelize scientific and compute intensive applicati ...

Results 21 - 40 of 200

Result page: <u>previous</u> 1 2 3 4 5 6 7 8 9 10 <u>next</u>

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player